# 



# DATA SHEET

# 3Com<sup>®</sup> OfficeConnect<sup>®</sup> 11 Mbps Wireless LAN PC Cards

## Easy to Use

Our 3Com<sup>\*</sup> OfficeConnect<sup>\*</sup> 11 Mbps Wireless LAN PC Cards make wireless connections incredibly easy. Intelligent features simplify set up, so you're up and roaming quickly. For example, 3Com Wireless LAN Manager lets you configure these devices for operation at your remote branch offices equipped with Wi-Fi certified wireless LANs.

## Reliable

These devices showcase a host of features that give you reliable wireless connections, excellent speeds, and an extensive range.

## Compatible

3Com OfficeConnect Wireless LAN PC Cards are fully IEEE 802.11bcompliant at 11, 5.5, 2, and 1 Mbps. Rigorous testing and Wi-Fi certification ensure trouble-free interoperability with all Wi-Fi certified products from other vendors. These products are also fully compatible with a range of 3Com wireless solutions including the 11 Mbps Wireless LAN Access Point 2000 and OfficeConnect Wireless Cable/DSL Gateway.

## Flexible Form Factors

Our patented XJACK<sup>\*</sup> antenna (available on 3CRSHPW196 and 3CRSHPW196-AP) is ideal for mobile users. It extends for excellent reception, then tucks safely away while traveling.

# Cable-Free Freedom

Want simple, reliable, and compatible wireless connections? Choose a 3Com OfficeConnect 11 Mbps Wireless LAN PC Card. Set up and operation are extraordinarily easy, making these devices great for first-time wireless users. They work with the 3Com 11 Mbps Wireless LAN Access Point 2000 and the 3Com OfficeConnect Wireless Cable/DSL Gateway, or any Wi-Fi certified access point, to create an all-wireless network in minutes providing desktop or notebook users with reliable, cable-free transmissions up to 100 meters (328 feet). Wi-Fi certification means these cards communicate with any wireless network or directly with any device that conforms to the Wi-Fi specification.

# Key Benefits

Go wireless with ease and confidence

# **Product Features**

Feature	Benefit	
Easy to Use		
Patented XJACK <sup>®</sup> antenna (models 3CRSHPW196 and 3CRSHPW196-AP)	Extends for excellent wireless LAN perfor- mance, and retracts away for safe travel and transport. Using the XJACK antenna, there is no need to remove the PC Card from the notebook.	
3Com Wireless LAN Manager	Lets you create profiles that reflect specific wireless LAN settings for each place you travel—just click the proper profile, and you're configured for connection. The soft- ware also displays connection status and features simple-to-use diagnostic tools.	
Infrastructure and ad hoc networking	Lets users connect to a network through a wireless LAN access point or directly to another WLAN client device when an access point is not available.	
Firmware upgradability	Firmware upgradabiliy makes it easy to update devices with new features.	
Reliable		
Dynamic rate shifting	Speeds dynamically shift between 11, 5.5, 2, and 1 Mbps, in busy conditions, to achieve the fastest possible connections.	
Range	Up to 100 m (328 ft); for indoor use only.	
Compatible		
Wi-Fi certified	Ensures interoperability with all Wi-Fi certified products from other vendors.	
Secure		
Encryption	Uses 40/64-bit and 104/128-bit WEP encryption, helping to keep all of your wireless transmissions private.	

## 3COM® OFFICECONNECT® 11 MBPS WIRELESS LAN PC CARDS DATA SHEET

# Specifications

#### Standards Conformance

Wi-Fi certified IEEE 802.11b

#### Frequency Range

Channels 1-14: 2.401-2.495 GHz Channels 1-13: 2.401-2.483 GHz Channels 10-13: 2.451-2.483 GHz Channels 5-7: 2.421-2.453 GHz

#### Data Rates

1, 2, 5.5, and 11 Mbps (supports dynamic rate shifting)

#### Computer Slot Type

PC Cards: Type II 16-bit PC Card

#### Operating Voltage 3.0V-3.6V

Security 40/64-bit and 104/128-bit WEP encryption Drivers/Supported Operating Systems NDIS 5: Windows 2000, Me, 98 SE NDIS 5.1: Windows XP

## Safety and Electromagnetic

Conformance Safety: UL/CSA 60950, EN 60950 Radio: FCC Part 15.247, RSS-210, EN 300 328-2 EMC: FCC Part 15 Subpart B, EN 301 489-17

SAR: FCC OET Bulletin 65, RSS-102, prEN 50371

#### **Physical Dimensions**

3CRSHPW696: 113.3 mm x 54 mm x 5 mm 3CRSHPW196 (retracted): 85.6 mm x 54 mm x 5 mm 3CRSHPW196 (extended): 105.2 mm x 54 mm x 5 mm

### Environmental Operating Ranges

Temperature: 0 to 50° C Humidity: 10 to 95%

#### Status LEDs

PC Cards Power=solid on Activity=fast blink

#### Warranty

One-year limited warranty.

# Ordering Information

Product Name	Region	Order Number
3Com OfficeConnect 11 Mbps Wireless LAN PC Card with XJACK® Antenna	Worldwide* Asia/Pacific Rim**	3CRSHPW196 3CRSHPW196-AP
3Com OfficeConnect 11 Mbps Wireless LAN PC Card	Worldwide* Asia/Pacific Rim**	3CRSHPW696 3CRSHPW696-AP

\* English, French, Italian, German, Spanish

\*\* English, Japanese, Korean, Chinese

3Com Corporation, Corporate Headquarters, 5400 Bayfront Plaza, P.O. Box 58145, Santa Clara, CA 95052-8145.

To learn more about 3Com solutions, visit www.3com.com. 3Com is publicly traded on Nasdaq under the symbol COMS.

Copyright © 2002 3Com Corporation. All rights reserved. 3Com, XJACK, OfficeConnect, and the 3Com logo are registered trademarks of 3Com Corporation. Windows is a registered trademark of Microsoft Corporation. All other company and product names may be trademarks of their respective companies. While every effort is made to ensure the information given is accurate, 3Com does not accept liability for any errors or mistakes which may arise. All specifications are subject to change without notice. 400743-001 05/02

